



ASM 390, universal voltage




Similar Image

ASM 390, universal voltage

- Dry and clean pump with high backing capacity (35 m³/h)
- Fast time to test: unrivalled performances from small to large volumes
- High maneuverability and compact design
- Large color touch screen, fully rotatable and detachable without any tool
- Integrated toolbox for storage of accessories

Dimensions



Technical Data	ASM 390, universal voltage
Backing pump	with oil free backing pump
Backing pump capacity	35 m ³ /h
Dimensions (L x W x H)	1,072 x 455 x 1,025 mm 42.2 x 17.91 x 40.35 inch
Exhaust connector	Filter on exhaust port
Flange (in)	DN 40 ISO-KF
Interfaces	RS-232
Max. inlet test pressure	20 hPa
Noise level	≤ 55 dB(A)
Operating temperature	10 - 35 °C
Power consumption	800 W
Pumping speed for He	10 l/s
Start-up time (20°C)	2 min
Supply	100-240 V, 50/60 Hz
Test method	Vacuum and sniffing leak detection
User interface	Graphic color touch screen (detachable)
Weight	125 kg 275.57 lb

Order number

ASM 390

CSGB01G0MM9A

Accessories	
Inlet filters	
Inlet filter, 20 µm, DN 40/40 ISO-KF	105842
Remote control	
Remote control, leak rate in mbar l/s, legend in English	106688
Remote control, leak rate in Pa m ³ /s, legend in Japanese	106690
Remote control, leak rate in Pa m ³ /s, legend in English	108880
Remote control, leak rate in Torr l/s, legend in English	108881
Remote control RC 10, wired/wireless, for ASM and ASI leak detectors	124193
Helium spray gun	
Helium spray gun "Elite-Kit", spray gun with additional accessories in a compact case	109951
Helium spray gun, standard	112535
Locking clamp	
Locking clamp, DN 40 KF	118801
Bottle holder	
Bottle holder for ASM 390 - ASM 392	126561
Sniffer probe	
Sniffer probe, 5 m hose length, rigid 9 cm nozzle	SNC1E1T1

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.